



Type	Designations		Dimensions			Weight(kg)
	New code	Old code	d	D	B	
2	365083	365083	177.9	247.7	83	13
2	3132752	3132752	260	440	144	94
2	92740M	92740M	200	280	80	16
2	928/660.4M	928/660.4	660.4	812.8	107.95	130
2	B6460	B6460	152.4	206.55	53.975	5.48
2	N1080M	2180	400	600	90	94
2	N2040M	N2040M	200	310	66	20
2	N226M	2226	130	230	40	7.08
2	N228M	2228	140	250	42	9.14
2	N230M	2230	150	270	45	11.6
2	N2326M	2626	130	280	93	29
2	N2340M	2640	200	420	138	94.5
2	N234M	2234	170	310	52	18.2
2	N248M	2248	240	440	72	47
2	N319EM	2319E	95	200	45	6.67
2	N320M	2320	100	215	47	8.7
2	N321M	2321	105	225	49	10.5
2	N322EM	2322E	110	240	50	11.4
2	N322M	2322	110	240	50	11.4
2	N324M	2324	120	260	55	15.1
2	N326M	2326	130	280	58	17.8
2	N328M	2328	140	300	62	21.9
2	N330M	2330	150	320	65	26.5
2	N332M	2332	160	340	68	30.8
2	N334M	2334	170	360	72	37.3
2	N6/101.6M	N6/101.6M	101.6	184.15	31.75	3.9
2	N6/107.95M(CRL34)	N6/107.95M(CRL34)	107.95	190.5	31.75	4.1
2	N6/114.3M	N6/114.3M	114.3	203.2	33.337	4.9
2	N6/114.3M-1(CRL36)	N6/114.3M-1(CRL36)	114.3	238.125	50.8	11
2	N6/127M	N6/127M	127	228.6	34.925	6.7
2	N6/127M-1CRM40	N6/127M-1CRM40	127	254	50.8	12.5
2	N6/620EM	N3/620EMX3	620	760	60	60
2	NCF 18/600V	NCF 18/600V	600	730	60	50.6
2	NCF 18/670V	NCF 18/670V	670	820	69	75
2	NCF 28/600V	NCF 28/600V	600	730	78	67.2
2	NCF 2944V	NCF 2944V	220	300	48	10
2	NCF 2948V	NCF 2948V	240	320	48	10.4
2	NCF 3040V	NCF 3040V	200	310	82	22
2	NCF 3064V	NCF 3064V	320	480	121	71
2	NF 1992MA	NF 1992MA	460	620	74	67.5
2	NF 228EM1	NF 228EM1	140	250	42	9.3
2	NF 3320ZD (5E3012320Q)	NF 3320ZD (5E3012320Q)	140	250	42	15.8
2	NF 332M	NF 332M	160	340	68	30.9
2	NJ10/500M	NJ10/500	500	720	100	137.5
2	NJ1024M	42124	120	180	28	3.09
2	NJ1026M	42126	130	200	33	3.82
2	NJ1028M	42128	140	210	33	4
2	NJ1030M	42130	150	225	35	5.05
2	NJ1032M	42132	160	240	38	6.13
2	NJ1034M	42134	170	260	42	8.47
2	NJ1036M	42136	180	280	46	10.6
2	NJ1038M	42138	190	290	46	10.9
2	NJ1040M	42140	200	310	51	14.7
2	NJ1044M	42144	220	340	56	19.6
2	NJ1048M	42148	240	360	56	21.1
2	NJ1052M	42152	260	400	65	31
2	NJ1056M	42156	280	420	65	32.2
2	NJ1060M	42160	300	460	74	45.1
2	NJ1064M	42164	320	480	74	47.8
2	NJ1068M	42168	340	520	82	66.5
2	NJ1072M	42172	360	540	82	67
2	NJ1076M	42176	380	560	82	73
2	NJ1080M	42180	400	600	90	92.5

2	NJ1084M	42184	420	620	90	93.3
2	NJ220EM	42220	100	180	34	4
2	NJ2220M	42520	100	180	46	5.86
2	NJ2224EM	42524E	120	215	58	9.15
2	NJ2228M	42528	140	250	68	14.8
2	NJ222EM	42222	110	200	38	5.1
2	NJ222EM1	42222	110	200	38	5.1
2	NJ2232M	42532	160	290	80	25.8
2	NJ2238M	42538	190	340	92	39.6
2	NJ2240M	42540	200	360	98	45.5
2	NJ2244M	42544	220	400	108	63.3
2	NJ224M	42224	120	215	40	6.5
2	NJ226EM	42226	130	230	40	7.38
2	NJ228M	42228	140	250	42	9.38
2	NJ230M	42230	150	270	45	12
2	NJ2317M	42617	85	180	60	8.69
2	NJ2319M	42619	95	200	80	10.2
2	NJ2320EM1	42620	100	215	86	13.5
2	NJ2320M	42620	100	215	86	13.5
2	NJ2322M	42622	110	240	80	19
2	NJ2324M	42624	120	260	100	24.6
2	NJ2326M	42626	130	280	107	29
2	NJ2328M	42628	140	300	117	34.8
2	NJ232EMA	42232	160	290	48	15
2	NJ232M	42232	160	290	48	15
2	NJ2330M	42630	150	320	108	42.4
2	NJ2332M	42632	160	340	114	54.4
2	NJ2334M	42634	170	360	120	61.5
2	NJ2334M/YA8-1	42634	170	360	120	61.5
2	NJ2336M	42636	180	380	126	71
2	NJ2338M	42638	190	400	132	84.3
2	NJ234M	42234	170	310	52/86	19.2
2	NJ236EM	42236	180	320	52	19.3
2	NJ236EM1	42236	180	320	52	19.3
2	NJ236M	42236	180	320	52	19.3
2	NJ238EM1	42238	190	340	55	22
2	NJ238M	42238	190	340	55	22
2	NJ240EM	42240	200	360	58	27.1
2	NJ240EM1	42240	200	360	58	27.1
2	NJ240M	42240	200	360	58	27.1
2	NJ244EM	42244	220	400	65	38.6
2	NJ244EM1	42244	220	400	65	39
2	NJ244M	42244	220	400	65	38
2	NJ248EM1	42248	240	440	72	48
2	NJ248M	42248	240	440	72	48
2	NJ260M	42260	300	540	85	90
2	NJ29/500M	20429/500	500	670	100	110
2	NJ29/560M	NJ29/560	560	750	112	141
2	NJ29/600X2M	NJ29/600X2M	600	800	120	178.8
2	NJ2984M	NJ2984	420	560	82	58.3
2	NJ2992M	2042992	460	620	95	85
2	NJ320EM	42320	100	215	47	8.8
2	NJ322M	42322	110	240	50	11.6
2	NJ324EM1	42324	120	260	55	16
2	NJ324M	42324	120	260	55	16
2	NJ326M	42326	130	280	58	17.9
2	NJ328M	42328	140	300	62	22.6
2	NJ330M	42330	150	320	65	26.6
2	NJ332M	42332	160	340	68	30.9
2	NJ334M	42334	170	360	72	37.7
2	NJ336M	42336	180	380	75	43
2	NJ338M	42338	190	400	78	49.4
2	NJ340M	42340	200	420	80	63
2	NJ38/1120M/HG2	NJ38/1120M/HG2	1120	1360	180	550
2	NJ422M	42422	105	260	60	22.3
2	NJ424M	42424	120	310	72	29.7
2	NJ424EM1	NJ424EM1	120	310	72	29.7
2	NJ424M/YA8-1	NJ424M/YA8-1	120	310	72	29.7
2	NJ426M	42426	130	340	78	40
2	NJ428M	42428	140	360	82	46.3
2	NJ428M1	42428	140	360	82	46.3
2	NJ428M/YA8-1	NJ428M/YA8-1	140	360	82	46.3
2	NJP234M	NJP234M	170	310	52/86	19.2
2	NJP236M	NJP236M	180	320	52	19.3
2	NN30/560KM/P6W33	NN30/560KM/P6W33	560	820	195	333
2	NN30/560KM/W33	NN30/560KM/W33	560	820	195	333
2	NN30/600K/W33	NN30/600K/W33	600	870	200	403
2	NN3024KM	NN3024KM	120	180	46	4.02
2	NN3026KM	NN3026KM	130	200	52	5.88
2	NN3028KM	3182128	140	210	53	7
2	NN3030KM	3182130	150	225	56	7.8
2	NN3036/W33	3182136	180	280	74	16.9
2	NN3040M	3282140	200	310	82	22.1
2	NN3048KM	3182148	240	360	92	32.7
2	NN3056M	3282156	280	420	106	49.7
2	NN3060KM	3182160	300	460	118	76.2
2	NN3072KM	3182172	360	540	134	105
2	NN3076KM	3182176	380	560	135	110
2	NN39/560M	NN39/560	560	750	140	173
2	NN4948M	NN4948M	240	320	80	18
2	NN4964/W33	NN4964	320	440	118	54.9
2	NN4968/W33	NN4968	340	460	118	55

2	NNCF5038V	NNCF5038V	190	290	136	31.5
2	NNCL4872/W33X	NNCL4872/W33X	360	440	80	27
2	NNCL4992V/W33X	NNCL4992V/W33X	460	620	160	138
2	NNU30/600M	NNU30/600M	600	870	200	403
2	NNU3284X2/W33X/HG2	NNU3284X2/W33X/HG2	420	760	280	562
2	NNU40/500M	NNU40/500M	500	720	218	287
2	NNU40/560M	NNU40/560M	560	820	258	460
2	NNU4080M/W33	NNU4080M/W33	400	600	200	199
2	NNU4084M	NNU4084M	420	620	200	208
2	NNU4092M	NNU4092M	460	680	218	269
2	NNU4096M	NNU4096M	480	700	218	284
2	NNU4152M	NNU4152	260	440	180	111.4
2	NNU4156M	NNU4156	280	460	180	118
2	NNU4164M	NNU4164	320	540	218	206
2	NNU4172M	NNU4172	360	600	243	275
2	NNU4180M	NNU4180	400	650	250	319
2	NNU4844	NNU4844	220	270	50	6.25
2	NNU4848	NNU4848	240	300	60	10
2	NNU49/500M	NNU49/500M	500	670	170	176
2	NNU49/600M	NNU49/600M	600	800	200	293
2	NNU4944MX2/W33	NNU4944MX2/W33	220	300	112	22.3
2	NNU4944MX2/W33-B	NNU4944MX2/W33-B	212	300	112	25
2	NNU4948M/C3W33	NNU4948M/C3W33	240	320	80	18
2	NNU4960M	NNU4960	300	420	118	53
2	NNU4984X1M	NN4984	420	560	140	100
2	NNUP4880X2MYA	NNUP4880X2MYA	400	500	117	54
2	NNUP6/750M	NNUP6/750M	750	810	50	23
2	NU10/500M	321/500	500	720	100	140
2	NU10/560MA	NU10/560MA	560	820	115	201
2	NU1026M	NU1026M	130	200	33	3.82
2	NU1028M	32128	140	210	33	3.89
2	NU1030M	32130	150	225	35	4.94
2	NU1032M	32132	160	240	38	5.96
2	NU1036M	32136	180	280	46	10.4
2	NU1038M	32138	190	290	46	10.9
2	NU1040M	32140	200	310	51	14.3
2	NU1044M	32144	220	340	56	19.2
2	NU1048M	32148	240	360	56	20.5
2	NU1052M	32152	260	400	65	30.2
2	NU1056M	32156	280	420	65	30.9
2	NU1060M	32160	300	460	74	44.1
2	NU1064M	32164	320	480	74	46.3
2	NU1068M	32168	340	520	82	65
2	NU1076M	32176	380	560	82	71
2	NU1084M	32184	420	620	90	91
2	NU1088M	32188	440	650	94	102
2	NU1092M	32192	460	680	100	111
2	NU19/500MA	NU19/500MA	500	670	78	74.3
2	NU19/500MA+HJ19/500	NU19/500MA+HJ19/500	500	670	78	74.3
2	NU19/670M	NU19/670M	670	900	103	193
2	NU1950M	NU1950F	250	330.5	38	10
2	NU1956M	NU1956M	280	380	46	15.7
2	NU1968MA	NU1968MA	340	460	56	26
2	NU1988MA	NU1988MA	440	600	74	63
2	NU1996MA	NU1996MA	480	650	78	72.5
2	NU1996MA+HJ1996	NU1996MA	480	650	78	72.5
2	NU2060MA	NU2060MA	300	460	95	59.5
2	NU2222EM		110	200	53	7.4
2	NU2224M	32524	120	215	58	9.31
2	NU2226M	32526	130	230	64	11.8
2	NU2228M	32528	140	250	68	14.4
2	NU222M	32222	110	200	38	5.05
2	NU2230M	32530	150	270	73	19
2	NU2230ME	32530	150	270	73	19
2	NU2232EM1A	32532	160	290	80	24.2
2	NU2232EMA/C3	32532	160	290	80	24.2
2	NU2232M	32532	160	290	80	24.2
2	NU2234M	32534	170	310	86	29
2	NU2236M	32536	180	320	86	31
2	NU2238M	32538	190	340	92	38.6
2	NU2240EM	32540	200	360	98	42.2
2	NU2244M	32544	220	400	108	62.2
2	NU2248M	32548	240	440	120	83.3
2	NU224M	32224	120	215	40	6.27
2	NU2252M	32552	260	480	130	106
2	NU226M	32226	130	230	40	7.22
2	NU228M	32228	140	250	42	9.16
2	NU230M	32230	150	270	45	11.8
2	NU2319M	32619	95	200	80	10.2
2	NU2320M	32620	100	215	86	12.7
2	NU2322M	32622	110	240	80	17.6
2	NU2324M	32624	120	260	100	23.1
2	NU2324M+HJ2324	NU2324M+HJ2324	120	260	86	22.5
2	NU2326M	32626	130	280	107	28.7
2	NU2328EM	32628	140	300	117	35.8
2	NU2328M	32628	140	300	102	33.6
2	NU232M	32232	160	290	48	14.4
2	NU2330M	32630	150	320	108	41.5
2	NU2330X2EMYA8-1+HJ2330	NU2330X2EMYA8-1+HJ2330	150	320	114	51
2	NU2332M	32632	160	340	114	54.4
2	NU2334M	32634	170	360	120	61.1
2	NU2336M	32636	180	380	126	69.5

2	NU2340EM	32640	200	420	138	96.5
2	NU2344EM	32644	220	460	145	114
2	NU2348M	32648	240	500	155	150
2	NU234M	32234	170	310	52	17.9
2	NU2352M	32672	260	540	165	184
2	NU2352M1	32672	260	540	165	184
2	NU236M	32236	180	320	52	19.2
2	NU2372M	32672	360	750	224	480
2	NU238M	32238	190	340	55	21.6
2	NU240M	32240	200	360	58	26.5
2	NU244M	32244	220	400	65	38
2	NU248M	32248	240	440	72	46.9
2	NU252EM	32252	260	480	80	68
2	NU252M	32252	260	480	80	69
2	NU256EM	32256	280	500	80	71
2	NU260M/YA8	32260	300	540	85	88
2	NU264M/YA8	32264	320	580	92	110
2	NU2936M	2032936	180	250	42	6.36
2	NU2944M	2032944	220	300	48	10.5
2	NU3068M	3032168	340	520	133	104
2	NU3084M	3032184	420	620	150	160
2	NU31/530KMA/HV2S1	NU31/530KMA/HV2S1	530	870	272	689
2	NU3184M	NU3184M	420	700	224	378
2	NU3188F3	NU3188F3	440	720	226	395
2	NU3188M	NU3188M	440	720	226	395
2	NU3192M	3032792	460	760	240	450
2	NU3196M	3032796	480	790	248	500
2	NU320EM	32320	100	215	47	8.8
2	NU321M	32321	105	225	49	10.1
2	NU3221M		150	190	65.1	8.4
2	NU3224M		120	215	76	12.4
2	NU322M	32322	110	240	50	11.6
2	NU324EM	32324	120	260	55	16
2	NU324M	32324	120	260	55	16
2	NU326M	32326	130	280	58	17.9
2	NU328EM	32328	140	300	62	22.2
2	NU328M	32328	140	300	62	22.2
2	NU330EM	32330	150	320	65	26.6
2	NU330M	32330	150	320	65	26.6
2	NU332EM1	32332	160	340	68	30.9
2	NU332M	32332	160	340	68	30.9
2	NU332MA	32332	160	340	68	30.9
2	NU334M	32334	170	360	72	37.7
2	NU336M	32336	180	380	75	43
2	NU338M	32338	190	400	78	48.5
2	NU340EM	32340	200	420	80	63
2	NU344M	32344	220	460	88	73.4
2	NU352M/YA8	32352	260	540	102	116
2	NU360M/YA8	32360	300	620	109	166
2	NU3852MAWB	NU3852MAWB	260	320	45	8
2	NU422M	32422	105	260	60	22.3
2	NU422ME	32422	105	260	60	22.3
2	NU424M	32424	120	310	72	29.1
2	NU426M	32426	130	340	78	40
2	NU428EM	32428	140	360	82	46
2	NUP19/710M	10929/710	710	950	106	223
2	NUP2232M	92532	160	290	80	24.2
2	NUP230M	NUP230M	150	270	45	11.8
2	NUP232M	NUP232M	160	290	48	14.4
2	NUP2334M	NUP2334M	170	360	120	61.1
2	NUP234M	NUP234M	170	310	52	17.9
2	NUP236M	NUP236M	180	320	52	19.2
2	NUP240M	NUP240M	200	360	58	26.5
2	NUP244M	NUP244M	220	400	65	38
2	NUP248M	NUP248M	240	440	72	46.9
2	NUP252M	NUP252M	260	480	80	69
2	NNP50/500X3YA(BC2-8008HB1)	NNP50/500X3YA(BC2-8008HB1)	500	730	305	442
2	NURT130Lg (无架)	NURT130Lg (无架)	130	250	103	27
2	NURT130Lg (无架)	NURT130Lg (无架)	130	250	103	27
2	SL01.4892	SL01.4892	460	580	118	71.2
2	SL02.4892	SL02.4892	460	580	118	71.4
2	SL01.4896	SL01.4896	480	600	118	78.4
2	SL02.4896	SL02.4896	480	600	118	78.4
2	SL01.4920	SL01.4920	100	140	40	4
2	SL01.4930	SL01.4930	150	210	60	6.64
2	SL014972V(NNC4972V)	SL014972V(NNC4972V)	360	480	118	60.5
2	SL05 49/895	SL05 49/895	895	1200	240	799
2	SL06 49/895	SL06 49/895	895	1200	240	807
2	SL181876V	NCF1876	380	480	46	22
2	SL181880V	NCF1880	400	500	46	23
2	SL1829/500B	SL1829/500B	500	670	100	98.5
2	SL1829/710C3	SL1829/710C3	710	950	140	274
2	SL182976	NCF2976V	380	520	82	57
2	SL182980	NCF2980V	400	540	82	60
2	SL182988	NCF2988V	440	600	95	78.6
2	SL182992	NCF2992V	460	620	95	90.5
2	SL192322	SL192322	110	240	80	17
2	01B 100M GR	01B 100M GR	100	174.62	81/45.3	8
2	01B 100M EX	01B 100M EX	100	174.62	81/45.3	8
2	01B 200M GR	01B 200M GR	200	311.15	109/60.3	28
2	01B 200M EX	01B 200M EX	200	311.15	109/60.3	28